



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/666,252	09/22/2003	Kazuhiro Hirahara	0170-1016P	9516
2292	7590	01/23/2006	EXAMINER	
BIRCH STEWART KOLASCH & BIRCH			HYUN, PAUL SANG HWA	
PO BOX 747				
FALLS CHURCH, VA 22040-0747			ART UNIT	PAPER NUMBER
			1743	

DATE MAILED: 01/23/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Office Action Summary	Application No.	Applicant(s)	
	10/666,252	HIRAHARA ET AL.	
	Examiner	Art Unit	
	Paul S. Hyun	1743	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on 22 September 2003.
- 2a) This action is FINAL. 2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 1 and 2 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) Claim(s) _____ is/are allowed.
- 6) Claim(s) 1,2 is/are rejected.
- 7) Claim(s) _____ is/are objected to.
- 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on 22 September 2003 is/are: a) accepted or b) objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|--|
| <ol style="list-style-type: none"> 1)<input checked="" type="checkbox"/> Notice of References Cited (PTO-892) 2)<input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) 3)<input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>9/22/2003</u>. | <ol style="list-style-type: none"> 4)<input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____. 5)<input type="checkbox"/> Notice of Informal Patent Application (PTO-152) 6)<input type="checkbox"/> Other: _____. |
|--|--|

DETAILED ACTION

Priority

Acknowledgment is made of applicant's claim for priority under 35 U.S.C. 119(a)-(d) based upon an application filed in Japan on 09/19/2002. A claim for priority under 35 U.S.C. 119(a)-(d) cannot be based on said application, since the United States application was filed more than twelve months thereafter.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1 and 2 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1 and 2, respectively, of U.S. Patent No. 6,987,565 B2 in view of Huber (US 4,989,976).

Claim 1 of U.S. Patent 6,987,565 B2 recites a liquid organometallic compound vaporizing and feeding system comprising:

- (1) a reagent container containing an organometallic compound, a carrier gas source, an inline monitor, a carrier gas feed passageway connecting said carrier gas source to said reagent container and having a mass flow controller disposed therein for controlling the flow rate of the carrier gas;
- (2) an organometallic compound gas passageway connecting said reagent container to said in-line monitor for transporting the organometallic compound gas vaporized and carried by the carrier gas;
- (3) an ICP emission spectrometer, a sample gas passageway connecting said in-line monitor to a sample inlet of said ICP spectrometer; and
- (4) a gas cylinder filled with a standard gas for calibration, a standard gas passageway connectng said gas cylinder to said sample gas passageway and having a gas mass flow controller disposed therein for controlling the flow rate of the standard gas.

Claim 2 of Patent 6,987,565 B2 is dependent on claim 1 of the patent and it further recites a plurality of standard gas cylinders and a corresponding plurality of standard gas passageways each having a gas mass flow controller disposed therein for controlling the flow rate of the corresponding standard gas.

However, the claims of Patent 6,987,565 B2 fail to recite a liquid mass flow controller for controlling the flow rate of the organometallic compound.

Huber discloses a device for controllably supplying a sample liquid to a nebulizer. The device comprises a controller in the form of a control device 46 that controls the speed of a peristaltic pump 48 that feeds the sample liquid to the nebulizer (see lines 50-54, col. 5).

It would have been obvious to one of ordinary skill in the art to provide the vaporizing and feeding system recited in claims 1 and 2 of Patent 6,987,565 B2 with a liquid mass flow controller for controlling the flow rate of the organometallic compound so that the optimal amount of sample is vaporized for analysis.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paul S. Hyun whose telephone number is (571)-272-8559. The examiner can normally be reached on Monday-Friday 8AM-4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill Warden can be reached on (571)-272-1267. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1743

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

PSH

1/19/06


Jill Warden
Supervisory Patent Examiner
Technology Center 1700